

Huawei Base Station Single-Core Optical Module



Overview

The 10G single-mode optical module OSX010000 is Huawei's 10G single-mode optical module based on optical fiber transmission. It supports long-distance transmission and is suitable for data centers, enterprise networks, 5G communications, artificial intelligence, big data and other. Single-fiber bidirectional (BIDI) optical modules must be used in pairs. For example, SFP-10G-BXD1 must be used with SFP-10G-BXU1. If the SFP-10G-ER-1310 is connected. Huawei OSX010000 (100% Compatible) 10G 10GBASE-LR Single Mode 10km 1310nm SFP+ Transceiver - 5 Year Warranty! Huawei OSX010000 is a 10G Optical Transceiver. Table 3 shows the comparison of OSX010000 and OMXD30000. Do you have other questions or feedback?

You may write here: After receiving your order, take a full month to try it out. It uses. Huawei OSX010000 Optical Transceiver Features and Specifications: * Form Factor: SFP+ * Data Rate: 10Gbps * Wavelength: 1310nm * Connector: Duplex LC * Cable Type: SMF * Reach Distance: 10km * Cable: Single-Mode Fiber * Operating Temperature Range: 0°C to 70°C * Transmit power (dBm): -8.



Article Content

Base Station

JEMSdata, acquired by 1COM in 2007, buys sells and trades network and telecom equipment worldwide in over 50 countries; Huawei Core Network, UMG8900,

Huawei 10g Sfp+ Osx010000 Original New (02318170) 10gbase-lr

Genuine New OSX010000 (02313URK 02318170) Huawei 10GBASE-LR SFP+ 1310nm 10km DOM Duplex LC SMF Optical Transceiver Module Huawei OSX010000 is a 10G Optical Transceiver.

Huawei OSX010000 Optical Transceiver,SFP+,10G,Single-mode

Specifications Model OSX010000 (Huawei Part No. 02318170) Product Type Optical Transceiver Module Form Factor SFP+ (Small Form-factor Pluggable Plus) Data Rate 10 Gbps Transmission

10GE SFP+ Optical Modules

This document provides an overall description of the CE12800 series switches hardware, helping you obtain detailed information about each chassis, power module, fan module, card, cable, and

Huawei OSX010000 Compatible 10Gb SFP+ Transceiver Module

This high-quality Huawei OSX010000 Compatible 10GBASE-LR SFP+ 1310nm 10km DOM Transceiver. A cost-effective solution that provides high bandwidth and transmission rates over short distances.

Huawei OSX010000 SFP+ 10Gbps Single-mode Optical

Check Huawei OSX010000 SFP+ Optical Transceiver specifications, features, connector type, cable, Operating Temperature, dimension and weight, buy

Huawei Technical Support

Discover Huawei's technical specifications and features for 10Gbps SFP optical modules, enhancing connectivity and performance in enterprise networks.

10 Gbit/s SFP+ Optical Modules

10 Gbit/s SFP+ optical modules apply to 10 GE optical ports. The wavelength can be 850 nm, 1310 nm, or 1550 nm, and the transmission distance ranges from 0.5 km (0.31 mi) to 80 km (49.71 mi).

Huawei RRU SFP

Huawei RRU SFP module, optical transmission device, low price around \$7, minimum order of 1 unit. Suitable for wholesale, available in bulk, wireless infrastructure equipment.

Huawei Technical Support

This document provides technical details about 1Gbps eSFP Optical Modules, including specifications and support information.

OSX010000, Huawei SFP+ Optical Transceiver, 10G

The Huawei OSX010000 provides a balance of performance and cost-efficiency, comparable to other high-end 10G single-mode transceivers, with the added

10G single-mode OSX010000: a reliable solution for enterprise high ...

The 10G single-mode optical module OSX010000 plays a key role in optical fiber transmission between 5G communication base stations, supporting high-speed data transmission, low-latency

Huawei Data Center Switch Optical Transceiver Portfolio

Description 100GBase-SWDM4 Optical Transceiver,QSFP+,100GE,Multi-mode Module(850,0.075km-OM3,0.1km-OM4,LC) 100GBase-CWDM4 Optical Transceiver,QSFP28,100G,Single-mode ...

Huawei Optical Transceiver eSFP GE Single-Mode Module

The Huawei eSFP GE Single-Mode Module 1310 nm 10 km LC delivers reliable 1 Gbps fiber connectivity for long-distance networks. Designed for enterprise switches and routers, it supports Digital

Huawei SFP-1.25G-LH40 Compatible 1.25Gbps SFP 1000BASE

Huawei SFP-1.25G-LH40 compatible optical transceiver is a dual fiber 1000Mbps Small Form-factor Pluggable SFP module for use in 1000BASE Ethernet network. SFP LX40 provides 1Gb/s throughput

Optical Modules for Huawei S Series Switches

A switch must use optical or copper modules that have been certified for use on Huawei switches. Non-certified optical or copper modules cannot ensure transmission reliability and may affect service

Huawei OSX010000 SFP+ 10G Optical Transceiver

Huawei OSX010000 SFP+ is a new generation of 10 Gigabit optical modules. It can meet the applications of Fibre Channel 8.5G and Ethernet 10G in accordance

Huawei OSX010000 SFP+ 10G Single Mode Optical

Huawei OSX010000 SFP+ 10G transceiver for single-mode fiber, 1310nm wavelength, 10km range. Compliant with 10Gbase-LR standard.

10GE SFP+ Optical Modules

Single-fiber bidirectional (BIDI) optical modules must be used in pairs. For example, SFP-10G-BXU1 must be used with SFP-10G-BXD1.

10 Gbit/s SFP+ Optical Module

The wavelength of these 10 Gbit/s SFP+ optical modules can be 850 nm, 1310 nm, or 1550 nm, and the transmission distance ranges from 0.3 km (0.19 mi.) to 80 km (49.71 mi.). Figure 1

1.25 Gbit/s SFP/eSFP Optical Module

You can use different levels of 1.25 Gbit/s SFP/eSFP optical modules with GE interfaces and 10 GE interfaces. The wavelength of common 1.25 Gbit/s SFP/eSFP optical modules can be 850

Huawei Bulk Packed 1.25g SFP Single-Module 1310nm

Product Description Huawei bulk packed 1.25g SFP single-module 1310nm 40km LC optical transceiver with alarm Introducing the Huawei Original GE SFP Optical

Huawei 1.25g Ge SFP Single-Module 1310nm, 40km,

Product Description Huawei 1.25G GE SFP single-module 1310nm, 40km, LC optical transceiver M SFP HGN Introducing the Huawei Original GE SFP Optical

OSX010000

The Huawei Optical Transceiver, SFP+, 10G, Single-mode Module (1,310 nm, 10 km, LC) is guaranteed 100% Compatible and Functional in its intended equipments.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.tkmm.eu>

Email: info@tkmm.eu

Phone: +48 22 538 29 41

Address: ul. Puławska 45A, 02-508 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

